

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)
Issue date: 10/6/2021 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : PureCide 25

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Disinfectant
Recommended use : Biocidal products (e.g. Disinfectants, pest control)
Restrictions on use : Other

1.3. Supplier

PureLine Consumer Products, LLC.
1241 N. Ellis Street
Bensenville, IL 60106
U.S.
T 847-963-8465

1.4. Emergency telephone number

Emergency number : (800)255-3924, +1 (813)248-0585 [ChemTel]

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Oxidizing liquids Category 2	May intensify fire; oxidizer
Acute toxicity (oral) Category 4	Harmful if swallowed
Acute toxicity (dermal) Category 3	Toxic in contact with skin
Skin corrosion/irritation Category 1	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	Causes serious eye damage
Specific target organ toxicity (repeated exposure) Category 2	May cause damage to organs (cardiovascular system) through prolonged or repeated exposure (oral)
Hazardous to the aquatic environment - Chronic Hazard Category 3	Harmful to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

May intensify fire; oxidizer
Harmful if swallowed
Toxic in contact with skin
Causes severe skin burns and eye damage
Causes serious eye damage
May cause damage to organs (cardiovascular system) through prolonged or repeated exposure (oral)
Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep/Store away from combustible materials
Take any precaution to avoid mixing with combustible materials
Do not breathe mist, spray, vapors.

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid release to the environment.
Wear eye protection, protective clothing, protective gloves.
If swallowed: Call a POISON CENTER if you feel unwell.
If swallowed: rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER.
Call a POISON CENTER if you feel unwell.
Get medical advice/attention if you feel unwell.
Specific treatment (see supplemental first aid instruction on this label).
Specific treatment (see supplemental first aid instruction on this label)
Rinse mouth.
Take off immediately all contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use Flood fire with water from a distance to extinguish.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Sodium chlorite	CAS-No.: 7758-19-2	15 – 25
Sodium chloride	CAS-No.: 7647-14-5	1 – 6
sodium chlorate	CAS-No.: 7775-09-9	≤ 3
Sodium Sulphate	CAS-No.: 7757-82-6	≤ 2

The specific chemical component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Effects on humans	: Indication of any immediate medical attention and special treatment needed: Contains sodium chlorite/chlorate. Consult literature for specific antidotes. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. If blue coloring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible. In cases of cyanosis, administer vitamin C, oxygen, protect from sunlight.
Expected Symptoms/Effects, Acute and Delayed Symptoms/effects after inhalation	: May cause cyanosis. Nausea. May cause gastric irritation. Gastric perforation. Shortness of breath. Coughing. Dry/sore throat. Impaired concentration. May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns. Pulmonary edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Flood fire area with water from a distance.
Unsuitable extinguishing media	: Carbon dioxide (CO2). dry chemical powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard	: May intensify fire; oxidizer.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist, spray, vapors. Avoid contact with skin, eyes and clothing.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Do not breathe mist, spray, vapors. Do not get in eyes, on skin, or on clothing.

Handling temperature : ≤ 122 °F

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PureCide 25
No additional information available
Sodium chlorite (7758-19-2)
No additional information available
Sodium chloride (7647-14-5)
No additional information available
sodium chlorate (7775-09-9)
No additional information available
Sodium Sulphate (7757-82-6)
No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Corrosionproof clothing. Gloves.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: light yellow
Odor	: chlorine-like
Odor threshold	: No data available
pH	: 12.5 – 13
Melting point	: Not applicable
Freezing point	: 32 °F
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.28 g/cm ³
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May intensify fire; oxidizer.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

10.5. Incompatible materials

Combustible materials. Strong reducing agents. Oxidizing agent. Acids. Amines. alcohols.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Chlorine.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Toxic in contact with skin.
Acute toxicity (inhalation) : Not classified

PureCide 25	
ATE US (oral)	1063.511 mg/kg body weight
ATE US (dermal)	536 mg/kg body weight
Sodium chlorite (7758-19-2)	
LD50 oral rat	284 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	134 mg/kg body weight (EPA OPP 81-2, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	284 mg/kg body weight
ATE US (dermal)	134 mg/kg body weight
Sodium chloride (7647-14-5)	
LD50 dermal rabbit	> 10000 mg/kg body weight Animal: rabbit
sodium chlorate (7775-09-9)	
ATE US (oral)	500 mg/kg body weight
Sodium Sulphate (7757-82-6)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LC50 Inhalation - Rat	> 2.4 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)

Skin corrosion/irritation : Causes severe skin burns.
pH: 12.5 – 13
Serious eye damage/irritation : Causes serious eye damage.
pH: 12.5 – 13
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Sodium chlorite (7758-19-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs (cardiovascular system) through prolonged or repeated exposure (oral).

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Sodium chlorite (7758-19-2)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Effects on humans	: Indication of any immediate medical attention and special treatment needed: Contains sodium chlorite/chlorate. Consult literature for specific antidotes. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. If blue coloring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible. In cases of cyanosis, administer vitamin C, oxygen, protect from sunlight.
Expected Symptoms/Effects, Acute and Delayed Symptoms/effects after inhalation	: May cause cyanosis. Nausea. May cause gastric irritation. Gastric perforation. : Shortness of breath. Coughing. Dry/sore throat. Impaired concentration. May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns. Pulmonary edema.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Sodium chlorite (7758-19-2)	
LC50 - Fish [1]	50 mg/l (48 h, <i>Lepomis macrochirus</i> , Pure substance)
EC50 - Crustacea [1]	0.29 mg/l (48 h, <i>Daphnia magna</i> , Pure substance)
ErC50 algae	0.2 mg/l (EPA OPP 122-2, 72 h, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, GLP)

Sodium chloride (7647-14-5)

LC50 - Fish [1]	5840 mg/l Test organisms (species): <i>Lepomis macrochirus</i>
LOEC (chronic)	441 mg/l Test organisms (species): <i>Daphnia pulex</i> Duration: '21 d'
NOEC (chronic)	314 mg/l Test organisms (species): <i>Daphnia pulex</i> Duration: '21 d'

Sodium Sulphate (7757-82-6)

LC50 - Fish [1]	7960 mg/l Test organisms (species): <i>Pimephales promelas</i>
EC50 - Crustacea [1]	≈ 3150.21 mg/l Test organisms (species): <i>Ceriodaphnia dubia</i>
LC50 - Fish [2]	≈ 7960 mg/l Test organisms (species): <i>Pimephales promelas</i>

12.2. Persistence and degradability

Sodium chlorite (7758-19-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

Sodium chlorite (7758-19-2)	
Partition coefficient n-octanol/water (Log Pow)	-7.18 (Estimated value)

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Sodium chlorite (7758-19-2)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Sodium chlorite (7758-19-2)	
Ecology - soil	No (test)data on mobility of the component(s) available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

DOT NA No : UN3093
UN-No. (TDG) : UN3093
UN-No. (IMDG) : 3093
UN-No. (IATA) : 3093

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquids, oxidizing, n.o.s.
Proper Shipping Name (TDG) : CORROSIVE LIQUID, OXIDIZING, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, OXIDIZING, N.O.S.
Proper Shipping Name (IATA) : Corrosive liquid, oxidizing, n.o.s.

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8 (5.1,6.1)
Hazard labels (DOT) : 8, 5.1,6.1



TDG

Transport hazard class(es) (TDG) : 8 (5.1,6.1)
Hazard labels (TDG) : 8, 5.1,6.1



IMDG

Transport hazard class(es) (IMDG) : 8 (5.1,6.1)
Hazard labels (IMDG) : 8, 5.1,6.1

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)



IATA

Transport hazard class(es) (IATA) : 8 (5.1,6.1)

Hazard labels (IATA) : 8, 5.1,6.1



14.4. Packing group

Packing group (DOT) : I

Packing group (TDG) : I

Packing group (IMDG) : I

Packing group (IATA) : I

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN3093

DOT Special Provisions (49 CFR 172.102) : A6 - For combination packaging, if plastic inner packaging are used, they must be packed in tightly closed metal receptacles before packing in outer packaging.
A7 - Steel packaging must be corrosion-resistant or have protection against corrosion.

DOT Packaging Exceptions (49 CFR 173.xxx) : None

DOT Packaging Non Bulk (49 CFR 173.xxx) : 201

DOT Packaging Bulk (49 CFR 173.xxx) : 243

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : Forbidden

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 2.5 L

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 89 - Segregation same as for oxidizers

TDG

UN-No. (TDG) : UN3093

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.
ERAP Index	: 3000
Explosive Limit and Limited Quantity Index	: 0
Excepted quantities (TDG)	: E0
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: Forbidden
Emergency Response Guide (ERG) Number	: 140

IMDG

Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P001
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-Q - SPILLAGE SCHEDULE Quebec - OXIDIZING SUBSTANCES
Stowage category (IMDG)	: C
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.

IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 854
CAO max net quantity (IATA)	: 2.5L
ERG code (IATA)	: 8X

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

FIFRA Labelling	
EPA Registration Number	88341-2
This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.	
FIFRA Signal Word	Danger
FIFRA Precautionary Statement	Keep out of reach of children.
FIFRA Human Health Hazards	Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Irritating to nose and throat. May be harmful if inhaled. Do not get in eyes, on skin or on clothing. Wear protective eyewear (splash proof goggles). Wear protective clothing and rubber gloves when handling this product. Avoid breathing mists or fumes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing, and going to the toilet. Remove and wash contaminated clothing to avoid fire.
FIFRA First Aid	<p>IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.</p> <p>IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice if burning or irritation of skin persists.</p> <p>IF SWALLOWED: Have person sip a glass of water if able to swallow. Call a poison control center or doctor immediately for treatment or advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give to an unconscious person.</p> <p>IF INHALED: Move person to fresh air and monitor for respiratory distress. If cough or difficulty in breathing develops, consult a physician immediately. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.</p>
FIFRA Environmental Hazards	This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.
FIFRA Physical Hazard	Dry sodium chlorite is a strong oxidizing agent. This product is incompatible with strong acids, oxidizing agents, and reducing agents. This product becomes a fire or explosive hazard if allowed to dry. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases (chlorine dioxide a poisonous, explosive gas), and possible fire and explosion. Do not contaminate with garbage, dirt, organic matter, household products, chemicals, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter. Do not use moist or damp utensils.
FIFRA Other	<p>For emergency information call: 800-424-9300 (24 hours)</p> <p>Have the product container or label with you when calling a poison control center or doctor or going to treatment.</p> <p>NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate for the use of gastric lavage.</p>

15.2. International regulations

No additional information available

PureCide 25

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium chlorite(7758-19-2)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
sodium chlorate(7775-09-9)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Sodium Sulphate(7757-82-6)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.